



1198.00 EUR
incl. 19% VAT, plus [shipping](#)

- 4x35W Amplifier
- Double DIN size !
- Bluetooth !
- Intel Atom CPU !



Support:  [Assembling Tutorial \[DE\]](#) |  [Assembling Tutorial \[EN\]](#) |  [Software Tutorial \[DE\]](#) |  [Software Tutorial \[EN\]](#)

Car-PC Barebone : Choose yourself : HDD/SSD and Operating system.

Update (19.12.2011) :

- CAN-BUS
- 2x Mini-PCle slot
- SIM card slot
- 2GB RAM
- Intel Atom N270 CPU

Update (24.08.2010) : Now with integrated DVD Slot-In drive.

Many functions and features

The barebone is equipped with an Intel Atom CPU and 2GB RAM. The 6.95" Touchscreen display enables comfortable control, the integrated Bluetooth receiver enables telephony using your cell phone. Several USB-connectors and a SD-card reader offer additional interfaces. The device has an integrated AM/FM Radio-receiver and the 4x35W amplifier enables sound output to car speakers.

Perfect for mobile environment

The customized BIOS enables cold start to Windows XP Pro within only a few seconds (even faster from Stand-By). By connecting to ignition-plus-control line of your car the system will start and shutdown automatically. Additional displays, eg. for rear seats, can be connected to the separate VGA output.

Features :

- Intel Atom CPU, 2GB RAM
- 6.95" Touchscreen display with LED backlight
- AM/FM Radio
- Amplifier (4x 35W) for direct connection to car speakers
- Bluetooth integrated (only for telephony)
- USB, SD-Reader in front
- Starts/Stops automatically based on ignition plus
- Fast Boot
- VGA-connector for additional displays
- 2x free internal Mini-PCIe slot
- DVD Slot-In drive
- CAN-BUS
- SIM Card Slot (You need a 3G-Mini-PCIe-modem in addition!)

Intel Atom N270 (2x1.6GHz)

Intel GMA

1x SO-DDR-III RAM 2GB RAM (already integrated)

800 X 480 6.95" Touchscreen TFT, LED Backlight

Integrated (only for telephony)

Front 1x / Rear 4x

1x 2.5" SATA HDD/SSD (not included)

1x Slot-In CD/DVD drive (included)

FM section:87.5~108 MHz / AM section:153~1710 KHz,
Autoscan Feature, Software memory slots : 9x AM, 18x FM

35W x 5 (= 2x Front/2x Rear/1x Center) + 1x Subwoofer + 2x Cinch Line-Out,
Support EQ mode control

1x AV-input, 1x rear camera input, 1x VGA output

Front :

1x USB
1x SD-Slot
1x 3.55mm Audio-In

Rear :

4x CAN-BUS (+5V, GND, CAN-H, CAN-L)
4x USB
1x VGA-output
1x 3.55mm MIC-input
1x Video-input
1x rear camera input
1x rear brake
1x AUX-Audio-input (2x Cinch)
1x Front-L, 1x Front-R
1x Rear-L, 1x Rear-R
1x Center
1x Subwoofer
1x Line-Out (2x Cinch)
1x DIN ISO Radio-antenna input
+ Ignition plus, Plus, Ground

Touchscreen Desktop Interface Software (included in scope of supply)

WinXP (recommended), Vista, Windows 7

184mm (B) x 109mm (H) x 162mm (T)

Without front plate : 179mm (B) x 100mm (H) x 162mm (T)

CE, FCC, E9 (=E-mark)

-20°C bis 70°C

~36W

~3.5kg

- CTFDINPC-2 Car-PC Barebone
- 3x connector cables
- DriverCD
- CarPC Touchscreen Desktop Software

Operating

Power



